

## The Computer System

- The equipment associated with a computer system.
- The set of instructions that tell a computer what to do.
- Use the power of the computer for some purpose.

Copyright © 2005 R.M. Laurie 1

## Hardware = Physical Computer

Computers process and communicate using **Data**

People communicate using **Information**

- ❖ **Input** receives data (keyboard, mouse)
- ❖ **Processor** processes data (CPU, RAM Memory)
- ❖ **Output** produces information (Monitor, Printer)
- ❖ **Secondary storage** (Hard Drive, CD)

Copyright © 2005 R.M. Laurie 2

## Software = Computer Programs

- ❖ **Program:** A set of step by step instructions that direct the computer to do a task that you want it to do and produce the results you want.
- ❖ **Programming Language:** A set of rules that instructs the computer what operations to perform.

Copyright © 2005 R.M. Laurie 3


## People = End Users & Programmers

- ❖ **End User's**
  - ◆ Utilize computer resources
  - ◆ Utilize software applications
- ❖ **Programmers**
  - ◆ **Analyze** a problem and create a solution algorithm
  - ◆ **Code** the solution algorithm into a specific programming language
  - ◆ **Verify** program works using known test data

Copyright © 2005 R.M. Laurie 4


## MC6809 Simple 8-bit Computer

All Computer Systems contain minimally one CPU (Central Processor Unit) and Memory that are interconnected by the data, address, and control buses




Copyright © 2005 R.M. Laurie 5

## Inside the PC Case



## PC System Block Diagram



Copyright © 2005 R.M. Laurie 8

## Programming Language Generations

- ❖ 1<sup>st</sup> = Machine Language
  - ◆ Actual bits that CPU processes
- ❖ 2<sup>nd</sup> = Assembly Language
  - ◆ Each assembly instruction corresponds to one machine code instruction
  - ◆ Requires an **assembler** to convert assembly source code to machine code
- ❖ 3<sup>rd</sup> = High-level Language
  - ◆ Uses human words for keywords
  - ◆ Abstract and general purpose
  - ◆ Requires a **compiler** or **interpreter** to run
  - ◆ Compiles for different CPU's

### First Generation: Machine Language

- ❖ Lowest level programming language because it represents data and program instructions as binary 0/1. Generally, hexadecimal is used for human interaction.
- ❖ All programming languages are eventually converted into machine language.
- ❖ Will be run on only one type of CPU

0000	
...	
D000	86
D001	12
D002	8B
D003	0C
D004	B7
D005	D1
D006	00
D007	BB
D008	D1
D009	10
D00A	B7
D00B	D1
D00C	01
...	
FFFF	

Copyright © 2005 R.M. Laurie 9

### Second Generation: Assembly Language

Address	Instructions	Data	Assembly Language
D000	86	12	LDA #\$12
D002	8B	0C	ADDA #\$0C
D004	B7	D100	STA \$D100
D007	BB	D110	ADDA \$D110
D00A	B7	D101	STA \$D101
D00D	8B	1E	ADDA #\$1E
D00F	B7	D01B	BCC \$D019
D012	86	00	LDA #\$00
D014	B7	D110	STA \$D110
D017	23	D007	BRA \$D007
D01A	3F		SWI

Copyright © 2005 R.M. Laurie 10

### Third Generation: High-Level Language

```
int main(void)
{
    int nEntry = 1, nHour, nMinute;
    char cAM = 'a';
    cout << "Enter the the 2400 hour time \n>";
    cin >> nEntry;
    nMinute = nEntry % 100;
    nHour = nEntry / 100;
    if(nHour > 12)
    {
        nHour = nHour - 12;
        cAM = 'p';
    }
    cout << nHour << ':';
    if(nMinute < 10) cout << '0';
    cout << nMinute << ' ' << cAM << ".m.\n\n";
    return 0;
}
```

Copyright © 2005 R.M. Laurie 11

### High-Level Languages to Machine Code

- ❖ **Compiler**
  - ◆ Converts *HLL Source Code* into *Machine Code* file
  - ◆ Compiler targets only one type CPU
    - ◆ Intel: x86, 386, 486, Pentium 1-4
    - ◆ Motorola: 68k, Power PC, 68HC11
  - ◆ Compiler targets only one type OS
    - ◆ Microsoft: DOS, Windows
    - ◆ Unix, Linux, Solaris OS, Apple Macintosh, CPM
- ❖ **Interpreter**
  - ◆ Executes *HLL Source Code* line by line directly
  - ◆ **Scripting Languages** utilize an interpreter to execute programs
  - ◆ Excellent *portability*

Copyright © 2005 R.M. Laurie 12

## Historical Development of HLL

- ❖ **FORTRAN**: 1957, Compiled language, Developed for engineering and science applications.
- ❖ **COBOL**: 1959, Compiled language, Developed for business applications.
- ❖ **BASIC**: 1965, Interpreted language, Easy to program, Personal non-production applications; Resurrected by Microsoft in DOS and Visual Basic.
- ❖ **Pascal**: 1971, Compiled language, Developed at ETH Switzerland and used by higher education to teach **Structured Programming** methodologies.
- ❖ **C**: 1975, Compiled language, **Procedural Oriented** (verbs), Highly efficient fast programs, Usually eliminated need for assembly language programming. Structured programming.
- ❖ **ADA**: 1980, Compiled language, Developed as common HLL for Military applications; First to support **Multitasking**, concurrent execution of applications. Structured programming.

Copyright © 2005 R.M. Laurie 13

## Historical Development of HLL

- ❖ **C++**: 1985, Compiled language, Added keywords to C so that could be used as an **Object Oriented Programming** language, **OOP** focuses on object (nouns) rather than tasks (verbs).
- ❖ **Java**: 1993, Pseudo-Compiled language generates **bytecode** which runs on any **Java Virtual Machine** to achieve **OS and CPU Independence**; Developed as a simplified **Object Oriented Programming** language that supports **Networks, Security, and Multithreaded** for multitasking.
- ❖ **JavaScript**: 1995, Interpreted language that utilizes interpreter in web browser; Object-based; Similar syntax to Java, C/C++; Very secure: Available for both **client** and **server scripting**. Utilizes HTML/XHTML and CSS for output. JavaScript is usually embedded in an html document.

Copyright © 2005 R.M. Laurie 14

## WWW Format Description Languages

- ❖ **HTML**: (Hyper Text Markup Language) 1990
  - ◆ Interpreted Language by Web Browser.
  - ◆ Describes both the **structure** and **presentation** (format) of a document.


- ❖ **XHTML**: 1997
  - ❖ Extensible Hyper Text Markup Language
  - ❖ Describes **structure** using elements in an html document.

- ❖ **CSS**: 1995
  - ❖ Cascaded Style Sheet
  - ❖ Describes **presentation** (format) of elements in an html document.

Copyright © 2005 R.M. Laurie 15

## Client Server Network Connectivity

Client contacts server as specified by URL → IP Address



Copyright © 2005 R.M. Laurie 16

## Accessing a Web Site

- ❖ HTTP (Hyper Text Transfer Protocol) is used to access web sites files located on the appropriate web server
- ❖ Each web site has a URL address
  - ◆ Universal Resource Locator
  - ◆ `http://www.islandman.org`
- ❖ DNS matches URL with IP address
  - ◆ Domain Name System
  - ◆ `www.uog.edu >> 168.123.30.1`


`http://www.uog.edu/cs/courses/index.html`

*Protocol   Server   Domain   TLD   Folder Path   File*

Copyright © 2005 R.M. Laurie 17

## The Web Browser Application

A Web Browser is a fault tolerant HTML/XHTML, CSS, and JavaScript interpreter that renders a web page.



Communication with remote server through network

Copyright © 2005 R.M. Laurie 18